



**ORMESA®**  
• MADE IN ITALY SINCE 1980 •

**NOVUS**



# NOVUS

## Maximum seating comfort.

**Novus** by Ormesa is a **stroller for children and teens** with postural needs **available in three sizes.**

Equipped with a **folding aluminum frame**, it has been designed to ensure **maximum comfort** to the user: the seat is lightly tilted, while the cushion, padded and removable, is **highly breathable**. The **wheels are provided with drum brakes**; they can be easily removed with a snap-out system, to facilitate transport.

**Thanks to a wide range of components, Novus adapts to any needs.**



Novus passed **CRASH TEST** according to **ANSI RESNA WC/19**

PRODUCT CERTIFIED  
**CERAH** FRANCE

PRODUCT TESTED  
**TÜV** BERLIN

PRODUCT REGISTERED  
**FDA** USA

PRODUCT MARKED  
**CE**

# Technical features and adjustments



## Foldable frame

made in aluminum. Painted with non-toxic poxy powders.



## Removable upholstery

padded, ergonomic and fixed to the seat thanks to press-studs. It was designed to make the change of position of the side supports easier, and to fix or unfix the accessories without causing any trouble to the child while seated. It grows up with the frame.



CERTIFICATE  
MED annex A.1/3.19-20-21



## Backrest

adjustable in height and tilt.

## Seat

adjustable in depth and width thanks to the padded sides to the pelvis.



## Legrest

adjustable in tilt.

## Flip-up footrest

adjustable in height.



## Removable wheels

removable, sliding on ball bearings.

Front wheels: 17,5 cm, swivel and puncture-proof.

Rear wheels: 30 cm, pneumatic with **independent drum brakes**.  
Puncture-proof rubber on request.



# Components



**852 Headrest with parietal supports**  
adjustable in height and width.



**863 Headrest with occipital parietal supports**  
adjustable in height, width, tilt and forward-backward.



**853 Vest harness**



**903 Five point vest harness**



**906 Five point harness**



**838 Lateral supports**  
adjustable in height and width.

# Components



**868 Wrappable and flexible trunk supports**  
Adjustable in height and width.



**894 45° pelvic belt**



**844 Side protecting covers**



**834 Abduction block**  
adjustable in depth.



**834-R Abduction block**  
Adjustable in depth and abduction.



**824 Transparent tray**  
with recess.

# Components



**839 Front handle**



**827 Foot straps**



**892 Covering for footrest**



**812 Directional locks for front wheels**



**818 Thermal cover**



**819 Canopy**

# Components



**825 Rain cover**  
to be fixed to the 819 canopy.



**854 Parasol**



**905 Hand brake**



**922 Bottle holder**



**858 Net basket for 869 base**



**911 Vent tray**



**891 Set of 4 tie down hooks**  
for the forward-facing transport of  
the pushchair in a motor vehicle  
(private cars, buses..).

*See User and Maintenance Manual  
provided with the aid.*

# Novus sizes and weight

A: backrest width

B: seat bottom width

C: overall width

D: overall height

E: overall length

F: seat bottom depth

G: backrest height

I: seat to footrest height

L: folded stroller length without wheels

M: folded stroller height without wheels

N: folded stroller length with wheels

O: folded stroller height with wheels

H: user height

Total weight with wheels

Total weight without wheels

Max capacity

## novus 2

40 cm

from 20 to 30 cm

60 cm

103 cm

87 cm

from 30 to 36 cm

from 65 to 71 cm

from 27 to 37 cm

101 cm

41 cm

83 cm

57 cm

from 125 to 145 cm

19,5 kg

15,9 kg

45 kg

## novus 3

43 cm

from 24 to 34 cm

63 cm

103 cm

93 cm

from 35 to 41 cm

from 71 to 80 cm

from 30 to 40 cm

105 cm

41 cm

84 cm

57 cm

from 130 to 155 cm

20,9 kg

17,3 kg

55 kg

## novus 4

46 cm

from 28 to 38 cm

66 cm

107 cm

96 cm

from 39 to 45 cm

from 75 to 81 cm

from 30 to 44 cm

110 cm

42 cm

90 cm



56 cm


from 145 to 170 cm

22,1 kg

18,5 kg

65 kg





COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV GL  
= ISO 13485 =

---

**Ormesa srl** - Via A. Da Sangallo, 1 | 06034 Foligno (PG) - ITALY  
Tel. +39 0742 22927 | FAX +39 0742 22637 | [info@ormesa.com](mailto:info@ormesa.com)

**[www.ormesa.com](http://www.ormesa.com)**